



**Cheadle Catholic Junior School**

*"Following in the footsteps of Jesus"*



# **Parents' Guide to Times Tables**

Here at Cheadle Catholic, we love maths. It is a big subject and we appreciate that there's more to it than times tables and there's more to times tables than learning them off by heart, however, a lot of the rich, interesting maths is all about the multiplicative relationships and these are hard to fully grasp without fluent recall of the tables.

When it comes to times tables, speed AND accuracy are important – the more facts your child remembers, the easier it is for them to do harder calculations. Your child needs to know all their times tables (up to the 12 times table) by the end of Year 4 (and they'll be tested on their knowledge in the Year 4 Multiplication Tables Check). In Years 5 and 6 they will be moving onto much more complicated concepts, such as multiplying and dividing using four-digit numbers, plus problem-solving involving fractions and percentages. It is therefore vital that they enter Year 5 really confident in all their times tables.

To help with the learning of multiplication facts we have put this booklet together to hopefully provide some useful tips and ideas on how to best to support your child at home. It is recommended that your child does a little bit of times table practice every night. Short bursts of practise on a daily basis are more effective than spending hours once a week.

### **How children learn times tables at Cheadle Catholic**

#### **Year 1 times tables learning**

Children are taught the simplest form of multiplication, counting up in 2s, 5s and 10s.

#### **Year 2 times tables learning**

Children are formally introduced to multiplication, related division facts and repeated addition for the numbers 2, 5 and 10.

#### **Year 3 times tables learning**

A crucial year for times tables learning. Children are expected to learn multiplication facts for the 3, 4 and 8 times tables and to use practical and written methods to multiply and divide two-digit numbers (for example,  $15 \times 4$ ).

#### **Year 4 times tables learning**

A 'completing' year for all multiplication facts up to  $12 \times 12$ . Children also continue to develop their skills in multiplication of two-digit numbers by a one-digit number, using harder combinations of numbers. They will also learn to multiply a three-digit number by a one-digit number.

#### **Year 5 and Year 6 times tables learning**

Children will be expected to be really confident in all their times tables (up to the 12 times table) by the start of Year 5. During Years 5 and 6 they will become confident in multiplying larger numbers (four-digits by two-digits, for example).

## Top tips for helping your child learn their times tables:

1) Learn a **little at a time**. If you start a new times table, don't try to master it all overnight. Start with  $1 \times 5$ ,  $2 \times 5$  one day, then add more in when they are used to the sequence.

2) Try **different strategies**: all children learn in different ways, so what worked for an older sibling may not work for another child.

3) **Constant revision of all of the tables** is important, as they are easy to forget when you move on to a new set.



4) Use of **interactive apps** such as **Times Table Rock Stars** and **Hit the Button - Topmarks Search**. The TT Rock Stars programme can be accessed online via the web address [play.ttrockstars.com](http://play.ttrockstars.com)- your child has their own login and password.

5) **Demonstrate** using concrete apparatus so that children can see, for example, 3 lots of 4 as 3 rows of 4 matchsticks.

6) **Sweets** are very good for demonstrations, as the anticipation of getting a reward can make the lesson much more memorable. As any parent knows – a little bribery goes a long way!

7) Use **real-life situations** to develop understanding of times tables, for example: "If you save 3p every day, how much do you think you would have saved in a week?"

8) There is no 'right' way to learn the times tables, and it helps to know lots of **tricks**, **'cheats'** and **link** between times tables facts.

9) Alongside learning their times tables, **it is vital that children learn the division facts for each times table** (for example: division facts for the 3 x table are:  $6 \div 3 = 2$ ,  $9 \div 3 = 3$ ,  $12 \div 4 = 3$ ). Make sure you test them on these until they are really confident with them. It will put down a solid foundation for dividing larger numbers later in KS2.

The next few pages will help you to identify some ways of making the times tables more fun and relevant than just rote learning.

# TRICKS OF THE TRADE!

**It's just a quick way of doing a LONG addition calculation:**

It is very important that the children understand how the tables are compiled so that they can start to find their own tricks for speeding up:

$$1 \times 5 = 5$$

This means there is 1 'lot of' or 'group of' 5

$$2 \times 5 = 10$$

This means that there are 2 'lots of 5' i.e. 5 plus another 5 ( $5 + 5 = 10$ )

$$3 \times 5 = 15$$

3 lots of 5 is  $5 + 5 + 5 = 15$  etc.

This knowledge is especially helpful for the higher number tables. If a child, does not know what  $7 \times 7$  is they do not have to start right at the very beginning of the 7 x table but can leap in half way:

$$5 \times 7 = 7 \times 5 = 35$$

$$6 \times 7 = 35 + 7 \text{ (we now have 6 lots of 7)} = 42$$

$$7 \times 7 = 42 + 7 \text{ (7 lots of 7)} = 49$$

Once they have learnt that they can start from 5 x the number to find higher multiples, they will be able to solve multiplication problems much more quickly.



## Multiplication is Commutative

(Commutative means that it doesn't matter which way around the numbers go, so  $3 \times 4$  is the same as  $4 \times 3$ ).

$$2 \times 4 = 4 \times 2$$

This can be demonstrated very easily by drawing a rectangle 4 squares by 2:



Here you have 2 rows of 4 squares but it is exactly the same if you turn it around so that there are 4 rows of 2 squares.

You still have 8 squares in total.



This is another good time to get out the sweets!

Large bars of chocolate are ordered into these rows and columns, or you could lay out Smarties into different arrays.



## Use rhymes to aid the memory

I ate and ate `till I was sick on the floor: **8 times 8 is 64!**

Wakey, wakey, rise and shine: **seven 7s are 49!**

Make up some of your own:  $7 \times 8 = 56$



## Odd and Even Numbers

The following rules always apply:

$$E \times E = E$$

$$E \times O = E$$

$$O \times E = E$$

$$O \times O = O$$

$$2 \times 6 = 12$$

$$4 \times 5 = 20$$

$$9 \times 2 = 18$$

$$7 \times 3 = 21$$










Therefore, the only time you get an odd answer is when two odd numbers are multiplied together.

## Talk the tables:


- Count forwards and backwards in 2s, 3s, 4s, etc.
- Put one more finger up every time you move onto the next number in the sequence, if this will help the child to remember which number they are up to.
- Chant the tables in the old fashioned way .
- Working on only one table at a time, try saying them out of order, like:  $3 \times 5 = ?$  could be followed by,  $3 \times 7 = ?$
- Give them the answer, for them to work out the question. Like, 35: how many 5s make this?

## Using fingers to calculate the nine times tables:

- 1) Lay both hands flat, palms down, on the table.
- 2) Number the fingers, from left to right, 1 - 10.
- 3) If you want  $7 \times 9$ , wiggle the third finger and then curl it under.
- 4) On the left of this finger there are 6 fingers (6 TENS).
- 5) On the right of this finger there are 3 fingers (3 UNITS) 6)  $9 \times 7 = 63$

<p><math>1 \times 9 = 9</math></p>  <p>0 up 9 up 9</p> <p>1st finger is down</p>	<p><math>2 \times 9 = 18</math></p>  <p>1 up 8 up 18</p> <p>2nd finger is down</p>	<p><math>3 \times 9 = 27</math></p>  <p>2 up 7 up 27</p> <p>3rd finger is down</p>
<p><math>4 \times 9 = 36</math></p>  <p>3 up 6 up 36</p> <p>4th finger is down</p>	<p><math>5 \times 9 = 45</math></p>  <p>4 up 5 up 45</p> <p>5th finger is down</p>	<p><math>6 \times 9 = 54</math></p>  <p>5 up 4 up 54</p> <p>6th finger is down</p>
<p><math>7 \times 9 = 63</math></p>  <p>6 up 3 up 63</p> <p>7th finger is down</p>	<p><math>8 \times 9 = 72</math></p>  <p>7 up 2 up 72</p> <p>8th finger is down</p>	<p><math>9 \times 9 = 81</math></p>  <p>8 up 1 up 81</p> <p>9th finger is down</p>

## Look for number patterns in the tables

Table	Pattern
<b>0 x</b>	<p>Think of 'empty pockets'. Ask your child how many pockets he or she has in the clothes they are wearing at the moment. If there are three pockets, all with nothing in them, then they have nothing. It doesn't matter how many pockets they have, if they are all empty, then there will be nothing. <math>3 \times 0 = 0</math> etc.</p> 
<b>2 x</b>	<p>After 2, 4, 6, 8, 10, the pattern is repeated in the last digit, like: 12 14 16 18 20 22 24.</p>
<b>3 x</b>	<p>The numbers follow the pattern of: Odd, Even, Odd, Even, like: 3, 6, 9, 12, 15. Also, if you add the digits they always make a multiple of 3 e.g. <math>45 - 4 + 5 = 9</math> and 9 is in the 3x table.</p>
<b>4 x</b>	<p>4x: All of these are double the two times table: 2 4 6 8 10 (2 x table) 4 8 12 16 20 (4x table) <b>So if you're x by 4 then just double it and double it again!</b></p>
<b>5 x</b>	<p>Any odd number times 5, ends in a 5. Any even number times 5 ends in a 0: <math>1 \times 5 = 5</math> <math>2 \times 5 = 10</math> <math>3 \times 5 = 15</math> <math>4 \times 5 = 20</math></p>
<b>6 x</b>	<p>These answers are just double those in the 3x table: 3 6 9 12 15 18 21 (3x table) 6 12 18 24 30 36 42 (6x table) <b>So if you're x by 6 then just x by 3 and double again!</b></p>
<b>8 x</b>	<p>These answers are all double the 4x table: 4 8 12 16 20 (4x table) 8 16 24 32 40 (8x table) <b>So if you're x by 8 then just double it, double it and double it again!</b></p>

<b>9 x</b>	All of the digits add up to 9. This even works for really high multiples of 9, but you need to keep going until there is only one digit: $9 \times 4 = 36$ ( $3 + 6 = 9$ )									
<b>10 x</b>	<p>All numbers end in a zero! (Please note we are not 'adding a zero'. What is actually happening is that the digits which are being multiplied move one column to the left, to make them ten times bigger – they are 'held' in that position by putting a zero into the empty column).</p> <table border="1" data-bbox="922 262 1485 640" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="text-align: center;">H</th> <th style="text-align: center;">T</th> <th style="text-align: center;">U</th> </tr> </thead> <tbody> <tr> <td style="border: none;"></td> <td style="border: none;"></td> <td style="text-align: center;">9</td> </tr> <tr> <td style="border: none;"></td> <td style="text-align: center;">9</td> <td style="text-align: center;">0</td> </tr> </tbody> </table> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div data-bbox="1112 430 1312 640" style="border: 1px solid black; padding: 5px; width: 150px;"> <p>This column means that the number is ten times bigger than it was in the units column.</p> </div> <div data-bbox="1331 462 1531 609" style="border: 1px solid black; padding: 5px; width: 150px;"> <p>A zero has to go in here to keep the digit in the correct column.</p> </div> </div>	H	T	U			9		9	0
H	T	U								
		9								
	9	0								
<b>11 x</b>	Both digits are the same (for answers up to 100). You can also think of it as 10x tables, plus one more 'lot' of the number that you are multiplying by 11: $9 \times 11$ is the same as $9 \times 10 + 9$ .									
<b>12 x</b>	If you've learnt all the other tables - there actually should only be one thing to learn by this stage: $12 \times 12 = 144$									



## Praise for progress:

As the tables are learned, they can be coloured or highlighted both horizontally and vertically. You can use this opportunity again to emphasise that  $3 \times 6 = 6 \times 3$ , so therefore as well as learning the entire 3 x table, part of the 6 x table has also been learned so this can be coloured in as well! Therefore, by the time all the tables up to and including the 5x have been learnt, there is actually only one quarter of this grid left to commit to memory.



	1	2	3	4	5	6	7	8	9	10	11	12
1	1	2	3	4	5	6	7	8	9	10	11	12
2	2	4	6	8	10	12	14	16	18	20	22	24
3	3	6	9	12	15	18	21	24	27	30	33	36
4	4	8	12	16	20	24	28	32	36	40	44	48
5	5	10	15	20	25	30	35	40	45	50	55	60
6	6	12	18	24	30	36	42	48	54	60	66	72
7	7	14	21	28	35	42	49	56	63	70	77	84
8	8	16	24	32	40	48	56	64	72	80	88	96
9	9	18	27	36	45	54	63	72	81	90	99	108
10	10	20	30	40	50	60	70	80	90	100	110	120
11	11	22	33	44	55	66	77	88	99	110	121	132
12	12	24	36	48	60	72	84	96	108	120	132	144

## GAMES!

Playing games is always a really effective way of learning. These are some examples that can be adapted, but please see your child's teacher if you want some more ideas.

Buy a set of blank business cards from any good stationer. Snip one corner of each card so that you can tell which way up they should be when the cards are face down.

Write a variety of times tables questions and answers the cards.

### Pelmanism (or Pairs):

- Shuffle the cards and arrange them in a neat order on the table, face down.
- The players take it in turn to reverse any two cards; the cards must be left on the table face upwards so that everybody gets a good chance to look at them.
- If the two cards are equivalent the player gets to keep the pair and has another go.
- If the two cards are not a pair they are turned over once more and left on the table.
- The game continues until all the cards have been claimed.
- You could write 'questions' on half of the cards and 'answers' on the other half.



### Snap

- Half of the cards should be the 'question' (2 x 5) and the other half of the cards should contain the answer (10).
- Shuffle the cards and divide them equally between two players.
- The players keep their cards in a pile, face down.
- One person turns over a card and then the other person turns over a card next to it so the two cards are close to each other.
- If the cards are equivalent, the last person to have turned over a card keeps all the cards in the two upturned piles. (it is better not to have a 'speed' element of competition in the early stages of learning, as they may need thinking time).
- The winner of the round then starts the next round.



### Bingo

- Each player selects five 'answers' from one of the times tables.
- Roll two dice, add the dots together.
- Multiply that total by whichever table it is you are doing e.g. you are learning the 6 x table five and two is rolled on the dice, five and two is 7,  $7 \times 6 = 42$
- Any player who has 42 on their 'Bingo card' can cross it off.
- The next player rolls the dice.



### **Fishy Fingers**

- Two player stand facing each other with their hands behind their backs.
- They say 'Fishy-fishy fingers' and then present their hands with numbers shown by raised fingers (like in Rock, Paper, Scissors).
- The players then need to multiply the number on their hands with their partner's number.
- The first to say the answer wins a point and play continues.



### **Times Tables Table Tennis**

- Each player holds an imaginary table tennis bat and one player starts with the first number in the times tables that they are learning (e.g. 3)
- Players try to build a rally by 'batting' the next number in that times table back to their partner (e.g. 6).
- The aim is to say the times tables as quickly as possible in order.

